

Milling underlays for professionals Anti-slip – glueing - classic

Increase efficiency by fixing small parts optimally.

Anti-Slip effect – Sealgrip


Anti-slip with a good grip Securely hold and fix

1-3 mm thickness

1 m - 1,5 m - 1,53 m - 1,6 m roll width


The foamed mat made of polyurethane (PUR) is an ideal base for a wide range of milling and cutting plotters. Due to ist high porosity, slip and abrasion resistance, it has proven itself in countless applications.

Lesyk does offer Sealgrip as rolls in several widhts and lengths.



Sticking effect – vilmill™

Fix small parts securely Special adhesive layers "tensioning mechanism" up to 2 m roll width



thanks to its optimized adhesive layer, *vilmill*™ guarantees the reliable fixing of filigree parts

the heat generated during the processing at the milling edge leads to their embedding by melting the surface of *vilmill™*.

the result is a tight fit between the milling part and the underlay which allows a reliable force transmission the detachment is possible without residue

vilmill™ as vacuum diffusor

In addition to heat adhesion, the air-permeable textile assists in consistent dispersion of the vacuum on the contact surface of the milling part. This is particularly effective with filigree contours.

vilmill™ for cutting semi-finished products with higher thickness.



vilmill™- black

- with a strong adhesive coating, which ensures a particularly safe embedding of small parts during the milling process. Under certain circumstances, the coating residues can remain on the milled edge

vilmillTM- Blue

- is equipped with a lighter adhesive coating, whereby residues of the milling edge can be avoided.

Underlay - classic




- Fixation by machine vacuum
- Various hardness levels
- Solid material structure for neat contours
- Customised formats and rolls up to 1.5 m width



Do not hesitate to contact us to benefit from our competence based on a long experience

Available for various milling and cutting plotters





We kindly invite to visit our on-line shop.

Here you will find appropriate tools.

Tool solutions according to customer requirements!

Lesyk GmbH | Siemensstraße 32 | D-73278 Schlierbach Telefon +49 (0) 7021 72497 0 | Fax +49 (0) 7021 72497 20 Handelsregister: Amtsgericht Ulm HRB 732762 USt. ID: DE 303 455 039 | Geschäftsführer: Günter Lesyk E-Mail info@lesyk.de