




Blades with **premium-coating**


Flat shank blades (examples)



Round shank blades 6mm (examples)




Round shank blades 8mm (examples)



Suitable for:


- Stacked / layered material with high contents of carbon fibre or glass fibre
- Materials with inlays of aluminium, copper or ferrous alloy

Flat shank blades - serrated



Suitable for:


- Stacked / layered material with high contents of carbon fibre, glass fibre, aramid fibre, Kevlar fibre
- Materials with inlays of aluminium, copper or ferrous alloy
- Insulating paper for transformer



Blades with **Teflon coating**

Due to very smooth surface texture, less frictional heat is generated as well pushing effect during cut becomes reduced

Flat shank blades




Round shank blades




Suitable for:

- Expanded polystyrene, polystyrene foam, polyethylene foam
- Foams with very low thermal conductivity, chemically cross-linked foams, foams such as XPE, IXPE, XLPE, EVA / PE
- Layered / sandwiches foams, bonded foams, foams with adhesive layers / top layers, etc.
- Acoustic felt materials of recycled PE



Accessories - cutting mats



- suitable versions for every application
- thicknesses from 1mm to 6mm
- soft to hard materials
- cut or rolled goods



Do not hesitate to contact us to benefit from our competence based on a long experience!

Available for various cutting plotters



We kindly invite to visit our on-line shop.
Here you will find appropriate tools.

Tool solutions according to customer requirements!

Lesyk GmbH | Siemensstraße 32 | D-73278 Schlierbach
Telefon +49 (0) 7021 72497 0 | Fax +49 (0) 7021 72497 20
Handelsregister: Amtsgericht Ulm HRB 732762
USt. ID: DE 303 455 039 | Geschäftsführer: Günter Lesyk
E-Mail info@lesyk.de